



7 OYEARS OF LEGACY







#MoreToLife

About Us

Brand Legacy -

Established in the year 1851 by Sir Isaac Merritt Singer, 'Singer Sewing Machine Company' has been a pioneer in manufacturing and selling sewing machines for 170 years. The company created its foothold in India in the year 1871 and has since been synonymous with sewing and stitching across the country. While continuing its glorious journey, the company was acquired by "Indian Sewing Machine Company Limited" in the year 1977. The company was later renamed as "Singer India Limited", as we know it today, with its headquarters in

New Delhi. Singer India has its manufacturing facilities in Jammu in the state of Jammu and Kashmir in India.

The Company –

An ISO 9001:2015 certified company; Singer India Limited (SIL) has two major business segments – Sewing Products, Home & Kitchen appliances. Sewing products are marketed under the brand "Singer" & "Merritt". Sewing products include zig-zag fashion maker, straight stitch, artisan & sewing accessories.

Our range of home & kitchen appliances span across air conditioners, washing machines, room coolers, refrigerators, fans, water heaters, food processors, dry and steam irons, mixer grinders, sandwich makers, toasters, hand blenders, etc.

The company has showrooms, distribution networks and a robust after sales service network Pan India.

Singer India has been recently selected and awarded with "INDIA'S MOST TRUSTED SEWING MACHINE BRAND" by Brand Trust Report 2022.

Add #MoreToLife with Singer.





Serficient & EFFORTLESS SOLUTION EXPERIENCE

SINGER INDUSTRIAL SEWING MACHINE

A heavy-weight sewing machine used for production purposes with adjustable sewing speed.


INDUSTRIAL MACHINES

Energy Saving Direct Drive In-Built Motor-ESDD (550 W)

Light to Medium Fabric







HIGH SPEED 4 THREAD OVERLOCK / HIGH SPEED 5 THREAD OVERLOCK

Cost-Effective Direct Drive Energy Saving 4 & 5 Thread Overlock Sewing Machines

SPECIFICATIONS:

Motor Type

Materials

Model Name	S-8140	S-8150
Stitch Type	2-Needle Overlock	2-Needle 5 Thread Safety Stite
Max. Sewing Speed	6,000 SPM (Adjustable)	6,000 SPM (Adjustable)
Stitch Length	4.2 mm	3.8 mm
Needle Gauge (mm)	2.0 mm	3.0 mm
Overedging Width (mm)	4.0 mm	5.0 mm
Needle Bar Stroke	24.5 mm	24.5 mm
Needle Type	DC X 27 # 11	DC X 27 # 14
Max. Lift of the Presser Foot	5.5 mm	5.0 mm
Operation Panel and Control Box	Integrated with In-Built Machine Head	Integrated with In-Built Machine Head

Energy Saving Direct Drive In-Built Motor-ESDD (550 W)

Light to Medium Fabric

9900/9900 H

SINGLE NEEDLE LOCKSTITCH/ SINGLE NEEDLE HEAVY DUTY LOCKSTITCH

Cost-Effective Direct Drive Energy Saving Lockstitch Sewing Machines

SPECIFICATIONS:

Model Name	9900	9900 H
Application	Light to Medium-weight	Heavy Weight
Max Sewing Speed	5,000 SPM (Adjustable)	3,500 SPM (Adjustable)
Max Stitch Length	5mm	7mm

Presser Foot By knee: 13mm By knee: 13mm
Needle :Single DBX1 #14 DPX5 #21

Motor Energy Saving Direct Drive Energy Saving Direct Drive In-Built Motor-ESDD (550 W) In-Built Motor-ESDD (550 W)

HookRegularLargeStand TableYesYes

Fabrics Shirting, Knits, Woven Leather, Denim

Power Consumption 220 V 220 V







INDUSTRIAL MACHINES





YEAR WARRANTY ON PRODUCT



LED LIGHT



S-0303

Feed

SINGLE NEEDLE HEAVY DUTY TOP AND BOTTOM FEED

Cost-Effective Direct Drive Energy Saving Lockstitch Sewing Machine

SPECIFICATIONS:

Model Name S-0303

Application Heavy Duty with Top and Bottom Feed Lockstitch Sewing Machine

Max Sewing Speed 2,000 SPM (Adjustable)

Max Stitch Length 5-12 mm

Presser Foot By knee: 16 mm

Needle:Single DPX17 #25

Motor **Energy Saving Direct Drive**

In-Built Motor-ESDD (750 W)

Hook Large

Inner and Outer Foot

2-5.5 Lifter Alternatively

Fabrics Heavy Material / Leather

Power Consumption 220 V



S-5400

HIGH SPEED FLAT-BED INTERLOCK

Cost-Effective Direct Drive Energy Saving 5 Thread Interlock Sewing Machine

SPECIFICATIONS:

Model Name S-5400

3-Needle Flat-Bed Stitch Type

6,000 SPM (Adjustable) Max. Sewing Speed

Stitch Length 1.4~4.5 mm

Needle Gauge (mm) 5.6 mm

Overedging Width (mm) 1.2~4 mm

Differential Feed Ration 0.8/1-1.7/1

Needle Type UY 128 GAS #11

Max. Lift of the 5.0 mm~7.0 mm

Presser Foot

Integrated with In-Built **Operation Panel**

and Control Box Machine Head

Motor Type Energy Saving Direct Drive

In-Built Motor-ESDD (550 W)

Light to Medium Fabric Materials





STITCHES & APPLICATIONS



Straight Stitch



Shell Stitch



Button Fixing



Zig Zag Stitch



Scallop Stitch



Picot

Hemming



Monogram

Satin

Stitch

Motifs



Box Stitch



Fagoting

Twin Needle

Satin Stitch

Smocking



3 Step Zig Zag Stitch

Twin Needle

Zig Zag Stitch



Blind Stitch



Stretch **Blind Stitch**



Twin Needle Straight Stitch



Buttonhole



Tear Mending



Applique



Free Hand **Embroidery**







Cording



Quilting

STITCHES

DESIGN PATTERNS

EMBROIDERS

BUTTONHOLE

BUILT-IN MOTOR

BUILT-IN LIGHT









SPECIFICATIONS:

- 6 Built-In Stitches
- 19 Built-In Stitch Functions
- 4-Step Buttonholer
- Stay Bright LED Light for Optimal Viewing
- · Easy Stitch Selection
- Automatic Bobbin Winding
- · Extra-High Presser Foot Lifter
- Pre-Set Stitch Length and Width
- Automatic Tension
- · Free Arm for Circular Stitching
- Accessory Storage in Extension Table
- Heavy Duty Metal Frame
- Easy Threading





START 1306

SPECIFICATIONS:

- 6 Built-In Stitches
- 19 Built-In Stitch Functions
- 4-Step Buttonholer
- Stay Bright LED Light for Optimal Viewing
- Simple Stitch Selection
- Automatic Bobbin Winding
- Accessory Storage in Extension Table
- · Heavy Duty Metal Frame
- · Extra-High Presser Foot Lifter
- Pre-Set Stitch Length and Width
- Free Arm for Circular Stitching
- Easy Threading



SINGER 8280

- 7 Built-In Stitches
- 24 Built-In Stitch Functions
- 4-Step Buttonholer
- Automatic Needle Threader
- Stay Bright LED Light for Optimal Viewing
- Easy Pattern Selection with Dial
- Oscillating Shuttle Mechanism(Half Shuttle)
- · Max. Stitch Width 5 MM
- Changing Presser Foot in Seconds
- · Variable Stitch Length
- Free Arm for Circular Stitching
- Accessory Storage in Extension Table
- · Heavy Duty Metal Frame









SPECIFICATIONS:

- · 23 Stitches for Essential & Decorative Sewing Needs
- Needle Threader to Save Time
- Front Loading Bobbin Easy to Wind & Insert
- 1 Step Buttonhole for Convenience & Consistent Results
- Full Metal frame for Long Lasting Durability
- Adjustable Stitch Length & Width for Customized Stitches
- Stay Bright LED Light for Optimal Viewing
- Accessory Storage in Extension Table



M-3505

SPECIFICATIONS:

- 32 Stitches for Essential & decorative Sewing Needs
- Needle Threader to save time
- Front Loading Bobbin Easy to Wind & Insert
- 1 Step Buttonhole for Convenience & Consistent Results
- Full Metal frame for Long Lasting Durability
- Adjustable Stitch Length & Width for Customized Stitches
- Stay Bright LED Light for Optimal Viewing
- Accessory Storage in Extension Table



SIMPLE 3223

- 750 Stitches Per Minute
- 23 Built-In Stitches
- 36 Built-In Stitch Functions
- 1 Fully Automatic 4-Step Buttonholer
- Stay Bright LED Light for Optimal Viewing
- Multiple Needle Positions
- Easy Threading
- Easy Stitch Selection
- Extra-High Presser Foot Lifter
- · Up to 5 mm Stitch Width
- · Free Arm for Sewing Cuffs and Sleeves,
- · Collars, Pant Hems and Other Difficult to Reach Areas
- 4 Step-on Presser Feet
- Automatic Reverse Lever to Sew in Reverse & Reinforce Stitches
- Four-Segment Feed Dog System
- Adjustable Tension
- Accessory Storage in Extension Table
- Heavy Duty Metal Frame













SIMPLE 3229

SPECIFICATIONS:

- 29 Built-In Stitches
- 71 Built-In Stitch Functions
- 1 Fully Automatic 4-Step Buttonholer
- Stay Bright LED Light for Optimal Viewing
- Easy Threading
- · Easy Stitch Selection
- · Extra-High Presser Foot Lifter
- Adjustable Stitch Length & Width
- Free Arm for Easy Access to Cuffs, Collars,
 Pant Hems and Other Difficult to Reach Areas
- Accessory Storage in Extension Table
- Heavy Duty Metal Frame


TALENT 3321

SPECIFICATIONS:

- 21 Built-In Stitches
- 55 Built-In Stitch Functions
- 4-Step Buttonholer
- Automatic Needle Threader
- Stay Bright LED Light for Optimal Viewing
- · Easy Pattern Selection with Dial
- Top Drop-In Bobbin
- Snap-on Presser Foot
- Variable Needle Positions
- · Adjustable Stitch Length & Width
- Twin Needle Sewing Capacity
- Free Arm for Easy Access to Cuffs, Collars,
 Pant Hems and Other Difficult to Reach Areas
- Accessory Storage in Extension Table
- Heavy Duty Metal Frame

FASHION MATE 3333

- 23 Built-In Stitches
- 36 Built-In Stitch Functions
- 4-Step Buttonholer
- · Stay Bright LED Light for Optimal Viewing
- Built-In Needle Threader
- Top Drop-in Bobbin
- Adjustable Stitch Length
- Free Arm for Easy Access to Cuffs, Collars, Pant Hems and Other Difficult to Reach Areas
- Accessory Storage in Extension Table
- Heavy Duty Metal Frame





SINGER HEAVY DUTY 4423

SPECIFICATIONS:

- 23 Built-in Stitches
- 59 Built-in Stitch Functions
- 1100 Stitch Per Minute
- Fully Automatic 1-Step Buttonholer
- 3 Needle Positions
- Up to 6 mm Stitch Width
- Adjustable Stitch Length and Width.
- Heavy Duty Metal Frame
- Free Arm with Accessories Storage
- Built-in Light
- Automatically Sew in Reverse and Reinforce Stitches
- Automatic Reverse option is provided to strengthen the stitches.
- Top Drop-in Bobbin
- Stainless Steel Bed Plate
- Adjustable Pressure Foot Presser Control
- Sew light weight to heavy weight fabric with ease by adjusting the presser foot pressure
- · Automatic Needle Threader







SINGER 984

- 22 Built-In Stitch and 4-Step Buttonholer
- Flat Bed Zig-Zag Machine with Special SV Table
- · Sewing Speed: 750 RPM
- Stay Bright LED Light for Optimal Viewing
- Shuttle Hook System and Front Loading Bobbin
- · Big Needle Plate with Seam Guide Pin
- Metal Hook Cover
- Presser Regulator Button for Adjusting Press Foot Pressure
- Snap-On Presser Feet
- Convenient Single-Head Thread Cutter on Face Plate
- · Stitch Length Dial: Max. Stitch Length 4 mm
- Stitch Width Dial : Max. Stitch Width 5 mm
- Manual Reverse Stitch Button
- Openable Face Plate (Bulb Cover)
- Needle Position at Mid or Left

- Feed Dog Dropping
- Double Ditches Handle Wheel for The Motor Drive and Manual Drive
- Foot/ Motor Operated
- Sturdy but Light Aluminium Casting Housing









SINGER Dillaron 0000

ELECTRONIC SEWING MACHINE

BRILLIANCE 6180

SPECIFICATIONS:

- 80 Built-In Stitches
- 93 Built-In Stitch Functions
- 6 Fully Automatic 1-Step Buttonholer
- · Automatic Needle Threader
- Stay Bright LED Light for Optimal Viewing
- 13 Needle Positions Up to 6.5 mm Wide ZigZag
- Decorative Stitches
- Computerized Stitch Selection with an LCD Display
- · Adjustable Stitch Length & Width
- · Twin Needle Sewing Capability
- Automatic Tension Keeps Stitches Balanced & Even Stitch Guide Tells You When and How to Use Built-in Stitches
- Push Button Stitch Selection
- Extra High Presser Foot Lifter
- · Extended Work Table
- · Heavy Duty Metal Frame



CLASSIC 298

SPECIFICATIONS:

- 21 Built-In Stitches
- 55 Built-In Stitch Functions
- Twin Needle Compatible
- Foot/ Motor Operated
- Heavy Duty Cast Iron Body
- 1/20 HP Motor
- · Aristocase Model with Motor






MULTIPURPOSE

- 13 Built-In Stitch Functions
- Beading and Hemming Capacity
- · Foot/ Motor Operated
- Heavy Duty Cast Iron Body
- 1/20 HP Motor







ARTISAN MACHINES









SPECIFICATIONS:

- · Work at a Speed 1800 SPM
- · Capable of Stitching on Various Light to Heavy Fabric
- · Reverse Feed Mechanism
- 5-25 SPI (Stitches Per Inch)
- Balanced Rotary Hook and Spiral Gears
- · Cast Iron Stand with Option of Piped Metal Stand
- Full Rotary Shuttle
- · Premium Quality Tread Take Up Lever
- 1/12 H.P. Motor for Higher Speed with Option of Manual Operation on Foot





SINGER WORKMATE

SPECIFICATIONS:

- Work at a Speed 1800 SPM
- · Capable of Stitching on Various Light to Heavy Fabric
- · Reverse Feed Mechanism
- 5-25 SPI (Stitches Per Inch)
- Wick Lubrication
- Square Arm Shape
- Full Rotary Shuttle
- Premium Quality Tread Take Up Lever
- 1/12 H.P. Motor for Higher Speed with Option of Manual Operation on Foot
- Available with Japanese Hook Shuttle also



SINGER ROTO MASTER

- Work at a Speed 1800 SPM
- · Capable of Stitching on Various Light to Heavy Fabric
- Lever Type Stitch Regulator for Reverse & Forward Stitch Control
- · Auto Tripping Spring Loaded Bobbin Winder
- Side Mount Thread Tension Assembly
- Full Rotary Shuttle
- Heavy Duty Square Arm & Bed
- Premium Quality Tread Take Up Lever





MERRITT









SPECIFICATIONS:

- · Work at a Speed 1800 SPM
- · Capable of Stitching on Various Light to Heavy Fabric
- Lever Type Stitch Regulator for Reverse & Forward Stitch Control
- · Auto Tripping Spring Loaded Bobbin Winder
- · Side Mount Thread Tension Assembly
- Full Rotary Shuttle
- · Heavy Duty Square Arm & Bed
- Premium Quality Tread Take Up Lever



MERRITT UNIVERSAL

SPECIFICATIONS:

- Work at a Speed 1800 SPM
- · Capable of Stitching on Various Light to Heavy Fabric
- · Reverse Feed Mechanism
- 5-25 SPI (Stitches Per Inch)
- Balanced Rotary Hook and Spiral Gears
- · Cast Iron Stand with Option of Piped Metal Stand
- Full Rotary Shuttle
- · Premium Quality Tread Take Up Lever
- 1/12 H.P. Motor for Higher Speed with Option of Manual Operation on Foot
- Available with Japanese Hook Shuttle also



MERRITT UNIVERSAL UNIMET

- Work at a Speed 1500-1800 SPM
- · Capable of Stitching on Various Light to Heavy Fabric
- · Reverse Feed Mechanism
- 5-25 SPI (Stitches Per Inch)
- Balanced Rotary Hook and Spiral Gears
- · Cast Iron Stand with Option of Piped Metal Stand
- Full Rotary Shuttle
- · Premium Quality Tread Take Up Lever
- 1/12 H.P. Motor for Higher Speed with Option of Manual Operation on Foot



ARTISAN MACHINES











SPECIFICATIONS:

- · Work at a Speed 1800 SPM
- · Capable of Stitching on Various Light to Heavy Fabric
- · Reverse Feed Mechanism
- · 5-25 SPI (Stitches Per Inch)
- Wick Lubrication
- Square Arm Shape
- Full Rotary Shuttle
- Premium Quality Tread Take Up Lever
- 1/12 H.P. Motor for Higher Speed with Option of Manual Operation on Foot
- Available with Japanese Hook Shuttle also





SPECIFICATIONS:

- · Ideal for Straight Stitch & ZigZag Operation
- Work at a Speed 2200 SPM
- · Capable of Stitching on Various Light to Heavy Fabric
- · Reverse Feed Mechanism
- Link Type Thread Take Up Liver
- · Also Available with Gear Mechanism
- Rotary Hook Set Mechanism with Tempered Steel Gears
- · Available with Chain & Gear Mechanism
- Full Rotary Shuttle
- · Compatible with Single & Double Needle Operation
- 1/12 H.P. or 1/4 H.P. Motor for Higher Speed with Option of Manual Operation on Foot



MERRITT CRAFTSMAN

- Worked at a Speed 2200 SPM
- Capable of Stitching on Various Medium to Heavy Fabric and Leather Up to 6mm Thickness
- 5-25 SPI (Stitches Per Inch)
- Round Arm Shape
- Half Shuttle
- 1/4 H.P. Motor for Higher Speed with Option of Manual Operation on Foot





MERRITT









SPECIFICATIONS:

- · Worked at a Speed 2200 SPM
- Special Purpose Machine for Leather, Rexine, Tirpal, Jean, Velvet, Lycra Cloth
- · Metallic Cherry Colour Paint of Machine
- · Cast Iron Bobbin Winder
- Special Tension
- Haya Brand Component
- · Capable of Stitching on Various Medium to Heavy Fabric
- · Reverse Feed Mechanism
- 5-25 SPI (Stitches Per Inch)
- Wick Lubrication
- Heavy Square Arm Shape
- Full Shuttle
- 1/12 H.P. Motor for Higher Speed with Option of Manual Operation on Foot



MERRITT FINEDGE

SPECIFICATIONS:

- Worked at a Speed 3300 SPM
- Artisan Sewing Machine Ideal for Over-Locking in Knitted Good, Undergarments, Woollens with Necessary Attachments
- · Single Needle 2 Thread/ 3 Thread Stitching
- Crafted from Heavy Duty and Grinded Steel Components
- Trimming and Over Edging Operation
- Self Locking Tension Mechanism to Ensure Perfect Stitching at Higher Speed
- Stitch Length -3.2 mm or 8 Stitch Per Inch
- · Stitch Width -4 mm
- 1/12 H.P. Motor for Higher Speed with Option of Manual Operation on Foot



MERRITT PORTABLE BAG CLOSER MACHINE

- · 220-250 V, 1.3 AMPS, 8000 RPM AC Motor
- Worked at a Speed-1800 SPM (Stitch Per Minute)
- 5 to 8 Bags Per Minute
- Federal Type Stitch 101 Single Thread
- Chain Stitch
 For Multi-Wallpaper, Jute, Burlap, Cotton,
- Hessian, Woven PP or HDPE Bags 1/12 H.P. Motor











SINGER PREMIUM GOLD

SPECIFICATIONS:

- · Metallic Golden Finish
- Flower Type Face Plate with Flower Type Back Cover
- · Golden Colour Bobbin Winder, Wheel & Oval Type H/A
- Round Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Single Hand Fitted Machine
- Half Round Shuttle Machine
- Open Type Shuttle Race for Easy Maintenance
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Folding Type Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- · Auto Tripping, Spring Loaded Bobbin Winder



SINGER PEARL

SPECIFICATIONS:

- Metallic Pink Finish
- Flower Type Face Plate with Flower Type Back Cover
- · Metallic Pink Colour Bobbin Winder & Wheel
- Lever Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Open Type Shuttle Race for Easy Maintenance
- Half Round Shuttle Machine
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Folding Type Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- · Auto Tripping, Spring Loaded Bobbin Winder



SINGER DREAM

- · Metallic Grey Heavy Duty Body & Hand Wheel
- D Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Open Type Shuttle Race for Easy Maintenance
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- · Sheet Metal Face Plate with Special Tension Set
- Heavy Weight Square Arm Body
- Half Round Shuttle Machine
- Heavy Weight Cast Iron Metallic Grey Bobbin Winder
- Oil Holes with Special Spring Loaded Cups
- Folding Type Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Auto Tripping, Spring Loaded Bobbin Winder









SINGER ELEGANCE

SPECIFICATIONS:

- · Metallic Red Finish
- Flower Type Face Plate with Flower Type Back Cover
- · Metallic Red Colour Bobbin Winder & Wheel
- Half Round Shuttle Machine
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Lever Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Open Type Shuttle Race for Easy Maintenance
- Folding Type Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Auto Tripping, Spring Loaded Bobbin Winder



SINGER SILVER GIRL

SPECIFICATIONS:

- Metallic Silver Finish Attractive Look
- · Black Colour Plain Face Plate & Arm Side Cover
- · Black Colour Bobbin Winder & Hand Wheel
- Half Round Shuttle Machine
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Lever Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Folding Type Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Open Type Shuttle Race for Easy Maintenance
- · Auto Tripping, Spring Loaded Bobbin Winder



SINGER GALAXY

- Metallic Blue Finish
- · Nickel Plated Floral Face Plate & Arm Back Side Cover
- · Metallic Blue Colour Bobbin Winder & Hand Wheel
- Lever Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Folding Type Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Open Type Shuttle Race for Easy Maintenance
- Half Round Shuttle Machine
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- · Auto Tripping, Spring Loaded Bobbin Winder











SPECIFICATIONS:

- Square Arm Body
- · Green Colour Finish
- · Nickel Plated Floral Face Plate & Arm Back Side Cover
- · Green Colour Bobbin Winder & Hand Wheel
- Half Round Shuttle Machine
- Lever Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Folding Type Slide Plate for Easy Insertion of Bobbin & Bobbin Case.
- Open Type Shuttle Race for Easy Maintenance
- · Auto Tripping, Spring Loaded Bobbin Winder



SINGER MAJESTIC

SPECIFICATIONS:

- Round Arm Body
- · Black Colour Finish Machine, Bobbin Winder & Hand Wheel
- Lever Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Half Round Shuttle Machine
- Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Auto Tripping, Spring Loaded Bobbin Winder



SINGER TAILOR DELUXE

- Round Arm Body
- · Black Colour Finish Machine, Bobbin Winder & Hand Wheel
- Lever Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Half Round Shuttle Machine
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- · Auto Tripping, Spring Loaded Bobbin Winder













SINGER PREMIUM-NEW

SPECIFICATIONS:

- · Black Colour Finish
- Flower Type Face Plate with Flower Type Back Cover
- Round Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Single Hand Fitted Machine
- Half Round Shuttle Machine
- Open Type Shuttle Race for Easy Maintenance
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Folding Type Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- · Auto Tripping, Spring Loaded Bobbin Winder



SINGER STAR

SPECIFICATIONS:

- Black Colour Finish
- Flower Type Face Plate with Flower Type Back Cover
- Round Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Open Type Shuttle Race for Easy Maintenance
- Half Round Shuttle Machine
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Folding Type Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Auto Tripping, Spring Loaded Bobbin Winder



SINGER SONATA ECO

- Round Arm Body
- · Black Colour Finish
- Attractive Plastic Base and Cover
- Lever Type Stitch Regulator for Easy Forward & Reverse
- Stitch Control
- Oval Type Hand Attachment
- Half Round Shuttle Machine
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Open Type Shuttle Race for Easy Maintenance
- Folding Type Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Auto Tripping, Spring Loaded Bobbin Winder











SPECIFICATIONS:

- Round Arm Body
- · Black Colour Finish
- · Attractive Plastic Base and Cover
- Lever Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Oval Type Hand Attachment
- Half Round Shuttle Machine
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Auto Tripping, Spring Loaded Bobbin Winder



SINGER LINK DELUXE

SPECIFICATIONS:

- Square Arm Body Makes it Sturdy and More Durable
- · Link Motion Mechanism for Noiseless Stitching
- Nickel Plated Face Plate
- · Heavy Duty Presser Bar
- Half Round Shuttle Machine
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Side Mount Thread Tension Assembly
- Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Auto Tripping, Spring Loaded Bobbin Winder



SINGER MAGNA ECO

- Round Arm Body
- · Red Colour Finish
- Attractive Plastic Base and Cover
- Black Colour Face Plate, Bobbin Winder & Hand Wheel
- Half Round Shuttle Machine
- Lever Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Auto Tripping, Spring Loaded Bobbin Winder









SINGER TAILOR SUPREME

SPECIFICATIONS:

- Round Arm Body
- Black Colour Finish
- · Half Round Shuttle Machine
- Lever Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Auto Tripping, Spring Loaded Bobbin Winder





MERRIT QUEEN

SPECIFICATIONS:

- · Metallic Blue Finish
- Unique Body Shape Half Round/ Half Square Arm & Bed Plate
- · Heavy Weight Cast Iron Body
- · Half Round Shuttle Machine
- Floral Face Pate with Special Black Colour Tension Set
- · Metallic Blue Colour Bobbin Winder & Balance Wheel
- Open Type Shuttle Race for Easy Maintenance
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric
- Folding Type Slide Plate for Easy Insertion of Bobbin & .bobbin Case
- · Auto Tripping, Spring Loaded Bobbin Winder



MERRITT MAGIC

- Round Arm Body
- Black Colour Finish
- Half Round Shuttle Machine
- Lever Type Stitch Regulator for Easy Forward & Reverse Stitch Control
- Slide Plate for Easy Insertion of Bobbin & Bobbin Case
- Pressure Adjuster for Stitching Light, Medium and Heavy Fabric.
- Auto Tripping, Spring Loaded Bobbin Winder





SEWING MACHINE MOTOR 1/12 HP (N)

SPECIFICATIONS:

- Super Enamelled Aluminium Winding Wire (Field Coil) (5000 High Volt Pass)
- Milan Harmetic Copper Winding Wire (armature)
- AEFA 608ZZ Bearings
- 16*60 Nidhi 2.5 Core Cable Wire (Length 120 Inch)
- 3 Pin Plugs
- Sheet Metal Foot Control Body 300 Gms Singer Logo Embossed
- 5 Small 1 Big Copper Patti in Foot Control
- Aluminium Dye Casting Motor Body
- Varnish (Dr. Back and SS Hardner)
- Grinding Shaft
- Aluminium Body Weight 400 Gms Before Drilling 360 Gms after Drilling, Stamping Weight 700 Gms
- Motor Body Weight is Heavier Than Normal Patterns Available in The Market
- Laser Printed Logo
- · Red & Black Glossy Colour
- · Complete Motor 1000 High Volt Tested

H.P.	CURRENT	FREQUENCY	R.P.M.	VOLTS
1/12	0.60 AMP	50Hz	6500	220/230



SEWING MACHINE MOTOR 1/20 HP (N)

SPECIFICATIONS:

- MILAN HARMETIC COPPER WINDING WIRE
- AEFA V4 ZZ BALL BEARINGS
- 16*60 NIDHI 2.5 CORE CABLE WIRE (LENGTH 120 INCH)
- 3 PIN PLUGS
- SHEET METAL FOOT CONTROL BODY 300 Gms –

SINGER LOGO EMBOSSED

- 5 SMALL 1 BIG COPPER PATTI IN FOOT CONTROL
- ALUMINIUM DYE CASTING MOTOR BODY
- LASER PRINTED LOGO
- WARNISH (DR. BACK AND SS INSULATION HARDNER)
- COMPLETE MOTOR 1000 HIGH VOLT TESTED
- MOTOR BODY: 170 GRM



SEWING MACHINE OIL

CHEMICAL PARAMETERS AND SPECIFICATIONS

APPEARANCE	CLEAR, WITHOUT ANY VISIBLE CONTAMINATION		
Density (at 20° C), gm/cc	0.831		
Pour Point, °C	-24		
Flash Point, (°C)	222		
Kinematic Viscosity at 40°C, cSt	16.41		
Kinematic Viscosity at 100°C, cSt	3.60		
Viscosity Index	100		
Ignition Temperature, °C	346		

H.P.	CURRENT	FREQUENCY	R.P.M.	VOLTS
1/20	0.45 AMP	50Hz	6600	200

AVAILABLE PACKING SIZES									
50 ml	1 L	3 L	5 L	7.5 L	10 L	15 L	20 L	50 L	210 L

SEWING ACCESSORIES





SINGER SEWING NEEDLES

HA X 1 - 14 X 1 - 14/ 90 HA X 1 - 16 X 1 - 16/ 100 HA X 1 - 18 X 1 - 18/ 110



PLASTIC COVER

Colour Option : White/ Brown



SINGER

SINGER SCISSORS

SPECIFICATIONS:

- Made in India
- Best for Cutting Clothes & Fabrics
- · German Brass Handle
- Ergonomically Designed Rubber Enamel Cotted Handle with Stopper for Safe and Comfortable Handle Grip
- · Surface Treatment : Sand Polished

AVAILABLE SCISSOR SIZES						
8 inch	9 inch	10 inch	12 inch			

SEWING MACHINE STAND & TABLES

STANDS

- 1. Sv Stand
- 2. Sheet Metal Stand
- 3. Artisan Stand
- 4. Pipe Stand

TABLES

- 1. SV/ Eco
- 2. Universal
- 3. Designer
- 4. Finedge
- 5. Craftman







(#MoreTolife)

FOR SALES ENQUIRY +91-8595215215

SINGER INDIA LIMITED

A26/4, 2nd Floor, Mohan Co-operative Industrial Estate,

New Delhi - 110 044. **Tel:** +91-11-40617777 | **S** +91 9555390390

E-mail: mail@singerindia.net Follow us:

















August 2022