



**SINGER®**

**POWER  
PRECISION  
PERFORMANCE**



**HI-SPEED INDUSTRIAL SEWING MACHINES**

**FOR SEWING MACHINE  
DEMONSTRATION  
AND PROBLEM  
RESOLUTION**



**SINGER  
LIVE ASSIST**

**☎ 1800 103 3474**



**\*ON ELECTRONIC  
COMPONENTS**

T&C Apply

## Brand Legacy

Established in the year 1851 by Sir Isaac Merritt Singer, 'Singer Sewing Machine Company' has been a pioneer in manufacturing and selling sewing machines for 170 years. Brand has achieved a significant level of global reach and recognition in over 100 countries. The company created its foothold in India in the year 1871 and has since been synonymous with sewing and stitching across the country. While continuing its glorious journey, the company was acquired by "Indian Sewing Machine Company Limited" in the year 1977. The company was later renamed as "Singer India Limited", as we know it today, with its headquarters in New Delhi. Singer India has its manufacturing facilities in Jammu in the state of Jammu and Kashmir in India.

## Overview

An ISO 9001:2015 certified company; Singer India Limited (SIL) has two major business segments - Sewing Products, Home & Kitchen appliances. Sewing products are marketed under the brand "Singer" & "Merritt". Sewing products include zig-zag fashion maker, hi speed industrial sewing machine, straight stitch machines, artisan & sewing accessories. Our range of home & kitchen appliances span across washing machines, room coolers, refrigerators, fans, water heaters, food processors, dry and steam irons, mixer grinders, sandwich makers, toasters, hand blenders, etc.

The company has showrooms, distribution networks and a robust after sales service network Pan India.

Brand Singer is the world's no 1 sewing brand and also has been recently selected and awarded with "INDIA'S MOST TRUSTED SEWING MACHINE BRAND" by Brand Trust Report 2024.

Add #MoreToLife with Singer.



Add #MoreToLife with Singer



## SS 9900



- ① Intelligent system, Easy to learn, Easy to use
- ② High speed, low noise
- ③ Beautiful exterior, high quality parts

SS 9900	DBX1/9-16	5	5-13	*	*	5000	—	—	—	—	
SS 9900 T1	DBX1/9-16	5	5-13	*	*	5000	—	—	*	—	
SS 9900 T3	DBX1/9-16	5	5-13	*	*	5000	*	*	*	—	
SS 9900 T4- Pro	DBX1/9-16	5	5-13	*	*	5000	*	*	*	*	

# SINGLE NEEDLE LOCK STITCH MACHINE



## 9900-Y



- ① Intelligent system, Easy to learn, Easy to use
- ② High speed, low noise
- ③ Beautiful exterior, high quality parts

9900-Y	DBX1/9-16	5	5-13	*	*		5000	—	—	—	—	
9900H-Y	DBX5#21	7	5-13	*	*		3500	—	—	—	—	



## 9900 | 9900H



- ① Intelligent system, Easy to learn, Easy to use
- ② High speed, low noise
- ③ Beautiful exterior, high quality parts

9900	DBX1#14	5	5-13	*	*		5000	—	—	—	—	
9900H	DBX5#21	7	5-13	*	*		3500	—	—	—	—	



## 9900T



- ① Intelligent system, Easy to learn, Easy to use
- ② High speed, low noise
- ③ Beautiful exterior, high quality parts

9900T	DBX1#14	5	5-13	*	*	5000	—	—	*	—



## SS 9900 T4



- ① Beautiful exterior, high quality parts
- ② Intelligent and high efficiency
- ③ High speed, low noise
- ④ LED touch screen with working breathing light and voice navigation
- ⑤ Advanced self-adaptive intelligent operation mode, which automatically shields the useless function button

SS 9900 T4	DBX1/9-16	5	5-13	*	*	-	5000	*	*	*	*



## S-8140 | S-8150



- ① Environment friendly design
- ② Intelligent and high efficiency
- ③ High speed, low noise
- ④ Energy-saving, accurate control

S-8140	2	4	DCX27/9-11	2	4	4.2	0.7-2	5.5	6000	
S-8150	2	5	DCX27	3	5	3.8	0.7-2	5.5	6000	





## S-8140-Y | S-8150-Y



- ① Environment friendly design
- ② Intelligent and high efficiency
- ③ High speed, low noise
- ④ Energy-saving, accurate control

S-8140-Y	2	4	DCX27/9-11	2	4	4.2	0.7-2	5.5	6000	
S-8150-Y	2	5	DCX27	3	5	3.8	0.7-2	5.5	6000	



## SE - 299



- ① Multifunctional LCD touch screen
- ② Fast transmission by USB
- ③ Closed-loop system accurate control to make the pattern beautiful
- ④ Auto trimmer short thread, no need man-work trim steps

SE-299	2500	DOX558Nm100 11#-14#	*	*	—	5-50	12-16	22	12-16	170/120	106X75X115		





## SE-1900

- ① Intelligent system high speed high efficiency
- ② Lubrication design to the gear extends the machine life and decreases the noise
- ③ New thread trimmer mechanism design makes the trimming more stable and smooth
- ④ Advanced closed-loop control system, easy operation

SE-1900	DPX17 19#	*	30X40	*	*	13mmX17mm	3000



## SE-1790



- ① Multifunctional LCD touch screen
- ② Closed-loop systems accurate control to make the pattern beautiful
- ③ New thread trimmer mechanism
- ④ Intelligent multiple knife dropping function

						Bartack Width
SE-1790 DPX5(11#)11#-14#		4200rpm	MAX 17 mm	Shirts, Lady clothing, Overall and other cotton materials	MAX 40 mm	Standard 5mm



## S-5400



- ① Intelligent system, Easy to learn, Easy to use
- ② High speed, low noise
- ③ High quality parts

S-5400	DIRECT DRIVE PLAIN SEAMING	UY128GAS 11#	2/3	4/5	3.2/4.8/5.6/6.4	1.2-4	0.5-1.3	5.7	6000



## S-5400-Y



- ① Intelligent system, Easy to learn, Easy to use
- ② High speed, low noise
- ③ High quality parts

S-5400-Y	DIRECT DRIVE	PLAIN SEAMING	UY128GAS 11#	2/3	4/5	3.2/4.8/5.6/6.4	1.2-4	0.5-1.3	5.7	6000



## SE-1903

- ① Intelligent system high speed high efficiency
- ② Lubrication design to the gear extends the machine life and decreases the noise
- ③ New thread trimmer design makes the trimming more stable and smooth



SE 1903



DPX17 14#



2700rpm



φ8~φ22mm



0.1mm~10m



Max 13mm



Shuttle hook





## S1377D-Y



- ① Intelligent system high speed high efficiency
- ② Lubrication design to the gear extends the machine life and decreases the noise



S1377D-Y

DPX17 14#

2700rpm

φ8~φ22mm

0.1mm~10m

Max 13mm



## S-842/ S-845



Suitable for shirts, uniforms, jeans, coats or similar garments, strong adaptability to seam material.  
 Suitable for high quality double stitch and decoration process.

S-842	DPX5 11-16#	2	1/8"5/32"7/32"3/8" 1/4"5/18"1/2"	2	0-4	7-13	3500	*	—	675X310X660	43/48	
S-845	DPX5 11-21#		1/8"5/32"7/32"	3	0-7	7-13	3000			720X320X670	47/50	



## SE-600D



- ① Lower noise, ultra-low vibration and durability
  - ② Multi-direction adjustable thread cutter ASM
  - ③ Technical innovation super high speed sewing with excellent seam
- Advanced closed-loop control system, easy operation

SE 600 D-35ZD	Bottom Hemming	UY128GAS 11#	2/3	4/5	3.2/4.8/5.6/6.4	1.5-4.4	0.5-1.3	5.5	6000



## S-1412 P



S-1412 P series are used for attaching elastic, attaching waistband and sewing the front of shirts, attaching line tapes, smocking and shirring etc...

Which are ideal for underwear, lady's clothes, interior decorated goods (curtains, table-clothes etc...)

S-1412 P	12	UOX113	12	24	34	3.6	4500	620X405X590	48/52




S-2290



- ① Double step motor enabling continuous sewing more complicated patterns at high speed
  - ② Adjustable to achieve straight seam, 2 to 4 point zigzag seam stitch effect
  - ③ Pattern design function with more than 300POM patterns, could extend memory to 999 patterns
- Advanced closed-loop control system, easy operation

S 2290-SS	DPX5/11	5	5.5-10	10	5000	—	—	—
S 2290-SS-7P	DPX5/11	5	5.5-10	10	5000	—	*	*
S 2290-SR	DPX5/11	5	5.5-10	10	5000	*	—	—
S 2290-SR-7P	DPX5/11	5	5.5-10	10	5000	*	*	*



## S-20U-53-Y



- ① SERVO motor enabling continuous sewing more complicated patterns at high speed
- ② Advanced closed-loop control system, easy operation

S-20U-53-Y	DPX5/11	5	5.5-10	10	5000	—	—	—



## S-450B

### Product Features

- ① S 450 Series machine is a hot melt adhesive pressurized continuous fusing machine, it has to prevent migraine with special properties suitable for fabric and fusible interlining of thermo-compression bonding purposes.
- ② It has limit switch, automatic belt warping prevention by motor.

### Application

It can be widely used in various non-flammable agents contain fabric collar, chest, cuffs, placket, waist top fabric and adhesive products smooth stiff and resistant to washing, easy trend, the dragon it applicable to all resins collar lining, non-woven adhesive liner.

MODEL	S-450(500)(600B)
Max. Bonding Width	450X500/600mm
Upper Belt Width X Length	450X1350/500X1350/600X1350mm
Bottom Belt Width X Length	450X1650/500X1650/600X1650mm
Operating Speed of Conveyer Belt	0-10m/min
Bonding Temperature	≤190°C
Electric Heating Power	5.2/5.2/6KW
Power Supply	220V/1PH/50Hz
Gross Weight	202/202/222kg
Outline Dimension (LxWxH)	1965X973(1073)X1093mm
Packing Dimension	1050(1050/1130)X955X730mm



## S-101D



### Product Features

- ① Direct drive motor: Equipped with direct-drive motor, can be directly driven responsively.
- ② Sewing stitch: Single looper, arc pendulum method, single thread chain stitch.
- ③ Sewing mode: For adoption of blind stitch mode, the stitch is invisible from the surface of fabric, which maintain the clothes much neater and more elegant.
- ④ Extra device: Auto thread trimmer, auto orientation and auto presser foot lifter, greatly improve the working efficiency.

### Application

Widely used for hemming cuffs, pants, shirts, gloves, socks, front and back of suits, etc. and suits various material such as cotton, wool, chemical fiber etc. (Treasure type)



S 101D



LWX6T 9#11#14#



3.2-8.5



1800

Motor Power

220V/250W





## S-781F-Y

### Product Features

Adopted with direct-drive servo motor, the machine has automatic presser-foot lifting function. This machine applies to universal buttonholing on all light to medium-heavy knitting materials, cotton fabrics and man-made fiber, able to sew flat stitch and triangle stitch with beautiful and solid seam. It is with high sewing speed, and its buttonholing size and stitch number are adjustable as well as buttonholing positioning can be easily adjusted. It adopts automatic lubrication system and automatic thread trimming mechanism. This further enhances ease of operation.

							buttonhole length			
S-781F-Y	3000	Dpx5 11#-14#	*	*	—	6.4-19.1mm	2.5-4mm	1/4"~3/4"	*	12



## S-1404 PSF



### Product Features

1400 Series are a flatbed, multi needles machine. These series are multi purpose machine for sewing the front of shirts, attaching line tapes. Suitable for lady's clothes, interior decorated goods.



S-1404 PSF



UY113GS/11



4



4











38.1



## S-3800 D3

### Product Features

1. Auto oiling system to ensure low noise and steady stitch when operating. Maximum speed up to 4000 RPM.
2. Beautiful newly designed appearance.
3. Main parts made of enduring and tough materials to reduce abrasion.
4. All series with discrete needle set, easy for adjustment and repair, beautiful in stitch.
5. Puller device, materials feed more smoothly, make the stitch more plat.

							
S-3800D-1/1PL	4500	Tvx7 9#-21#	1	2	1.4-4	5/10	370
S-3800D-1/1PL	4500	Tvx7 9#-21#	2	4	1.4-4	5/10	370
S-3800D-1/1PL	4500	Tvx7 9#-21#	3	6	1.4-4	5/10	370









## S-261-21/ S-261-23



### Product Features

The special tubler structure is suitable for sleeve, trouser legs joining seams.

					
S-261-21	Tvx5 18#	1/2,3/8,5/16,9/32	2.4-4.8 mm	1/4	3500 rpm
S-261-23	Tvx5 18#	1/2,3/8,5/16,9/32	2.4-4.8 mm	1/4	3500 rpm



## S3C-8

### Product Features

1. The shell use spray-paint technology, using Eastman imported technology, spare parts can be exchanged with KM(KS-AUV) Model.
2. It is suitable to cut materials such as cotton, woolens, linen, silk, chemical fiber, etc.
3. This machine has complete specifications and high power. It is equipped with automatic knife grinding device and lubrication system.

It has features such as steady running, convenient operation and powerful cutting ability, etc. It is an ideal cutting tool for garment industry.

MODEL	RATING POWER	RATING VOLTAGE	RATING FREQUENCY	CUTTING HIGH	ROTATE SPEED
S3C-8	550/750	110/220	50/60	110.160.210.260	1000/4200
S3C-8	550	110/220	50/60	110.160.210.260	2800/3400
S3C-8	750	110/220	50/60	110.160.210.260	2800/3400



## S125A

### Product Features

1. It is a necessary equipment for the garment and umbrella industry, and can cut various materials such as cotton, woolens, linen, silk, chemical fiber, etc.
2. Automatic knife grinding, convenient and efficient, stable running, easily used. The blade can be easily sharpened and can cut a wide range.

MODEL	TRIMMING CAPACITY	FREQUENCY	BLADE DIMENSIONS	POWER	VOLTAGE
S125A	30mm	50/60 Hz	φ110(4.33")八角	250W	110/220/240 V

# SYMBOL SPECIFICATIONS




Flat type



Auto thread trimmer



Stitch width



Vertical hook (large)



Stitch width



Stitch length



Differential ratio



Horizontal hook (standard)



No.of needles



Straight line bartacking



Unison feed



Horizontal hook (large)



Needle



Thread wiper



Needle gauge



Light materials



No.of threads



Inner and outer foot lifter alternately



Shuttle hook



Medium materials



Auto Needle Thread Clamping



Thickness



Vertical hook (standard)



Heavy materials



Cylindrical diameter



Sewing speed



Sewing materials



Power



Needle stroke



Alternation range



Compound feed



Weight



Auto presser foot lift



Sewing area(mm)



Button size



Measurement



Split needle bar



Stitch length



Yes



No



# SINGER®



## SINGER LIVE ASSIST

### FOR SEWING MACHINE DEMONSTRATION AND PROBLEM RESOLUTION

 **1800 103 3474**

Disclaimer: Due to continuous technological updgradation, Singer India Limited reserves every right to change the specifications/direct description/pictorial representation, without prior notice, this document is generated only for information purpose.  
Source: Global Industry Analysis, Inc., March 2018, Sewing Machines - A Global Strategic Business Report, % market share among 2017 leading players in Global Home Sewing Machines Market.  
Term & Conditions : 3 Years warranty on electronic components in sewing machines only

**SINGER INDIA LIMITED**  
A26/4, 2nd Floor, Mohan Co-operative  
Industrial Estate, New Delhi - 110 044.  
**E-mail :** [customersupport@singerindia.com](mailto:customersupport@singerindia.com)  
**Follow us:**    

 **customer care**  
**TOLL FREE**  
**1800-103-3474**  
Monday to Sunday (9:00am to 6:00pm)



 **Register for**  
**Live Online Sewing Courses**  
**Singer Sewing Studio**  
**Toll Free 1800-102-5461**  
**[www.singersewingstudio.net](http://www.singersewingstudio.net)**